

WASHINGTON, DC 20036

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/936,611	6,611 09/14/2001		Takuya Nakashima	L7016.01127	7319
24257	7590	09/21/2005		EXAM	IINER
STEVENS 1615 L STR		MILLER & MOS	CREPEAU,	CREPEAU, JONATHAN	
SUITE 850	LL1, IV		ART UNIT	PAPER NUMBER	

1746
DATE MAILED: 09/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		<i>\bigg\bigg\bigg\bigg\bigg\bigg\bigg\big</i>				
	Application No.	Applicant(s)				
	09/936,611	NAKASHIMA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jonathan S. Crepeau	1746				
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet with	the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by statuenty reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICA 1.136(a). In no event, however, may a repl of will apply and will expire SIX (6) MONTH oute, cause the application to become ABAN	ATION. ly be timely filed IS from the mailing date of this communication. NDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 9/1	<u>2/05</u> .					
2a) This action is FINAL . 2b) ⊠ Th	his action is FINAL. 2b)⊠ This action is non-final.					
,						
closed in accordance with the practice under	r Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1,5,6,11 and 12</u> is/are pending in th	e application.					
4a) Of the above claim(s) is/are withdr	rawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,5,6,11 and 12</u> is/are rejected.	·					
7) Claim(s) is/are objected to.	Var alastian requirement	·				
8) Claim(s) are subject to restriction and	or election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examin	ner.					
10)☐ The drawing(s) filed on is/are: a)☐ ad						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the corre						
11)☐ The oath or declaration is objected to by the	Examiner. Note the attached (Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreignal All b) Some * c) None of:	gn priority under 35 U.S.C. § 1	19(a)-(d) or (f).				
1.☐ Certified copies of the priority docume	nts have been received.					
2. Certified copies of the priority docume		olication No				
3. Copies of the certified copies of the pr	iority documents have been re	eceived in this National Stage				
application from the International Bure	eau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a li	st of the certified copies not re	eceived.				
Attachment(s)	A) []					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 		Mail Date				
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date	5) Notice of Info 6) Other:	ormal Patent Application (PTO-152)				

DETAILED ACTION

Response to Amendment

1. This Office action addresses claims 1, 5, 6, 11, and 12, after entry of the amendment filed on September 6, 2005. New grounds of rejection are applied to the claims herein. As such, prosecution is reopened and this action is non-final.

Claim Rejections - 35 USC § 103

2. Claims 1, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ito (U.S. Patent 6,124,057).

The reference is directed to a non-aqueous electrolyte secondary battery. The positive electrode comprises a lithium manganese oxide (see col. 5, line 11). The negative electrode contains graphite powder and an active material that may comprise SrCO₃ (see Table 4; col. 5, line 22)

The reference does not expressly teach the weight percent of strontium as recited in claim 1.

However, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be sufficiently skilled to adjust the weight percentage of strontium carbonate in the negative electrode mixture so as to affect the resulting properties of the electrode. Table 4 discloses the discharge capacity and

capacity maintenance of the exemplary batteries of the invention. It would be well within the skill of the art to incorporate varying amounts of strontium carbonate to affect these properties.

As such, the claimed range is not considered to distinguish over the reference.

3. Claims 1, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 9-180758.

The reference is directed to a non-aqueous electrolyte secondary battery. The positive electrode comprises a lithium manganese oxide (see par. 0014). The negative electrode contains an active material and graphite powder (see par. 0046). As disclosed the abstract, the positive or negative electrode may comprise an alkali or alkaline salt. This salt may be Na₂CO₃ or NaHCO₃ (see par. 0062).

The reference does not expressly teach the weight percent of sodium as recited in claim 1.

However, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be sufficiently skilled to adjust the weight percentage of sodium carbonate in the negative electrode mixture so as to affect the resulting properties of the electrode. Table 1 discloses the capacity maintenance of the exemplary batteries of the invention. It would be well within the skill of the art to incorporate varying amounts of sodium carbonate to affect these properties. As such, the claimed range is not considered to distinguish over the reference.

Application/Control Number: 09/936,611 Page 4

Art Unit: 1746

4. Claims 1, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over EP 880187.

The reference is directed to a non-aqueous electrolyte secondary battery. The positive electrode comprises a lithium manganese oxide (see p. 4, line 25). The negative electrode contains graphite powder and an active material that may comprise Na₂SiO₃ (see p. 4, line 32; Table 2).

The reference does not expressly teach the weight percent of sodium as recited in claim 1.

However, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be sufficiently skilled to adjust the weight percentage of Na₂SiO₃ in the negative electrode mixture so as to affect the resulting properties of the electrode. Table 2 discloses the capacity maintenance of the exemplary batteries of the invention. It would be well within the skill of the art to incorporate varying amounts of Na₂SiO₃ to affect these properties. As such, the claimed range is not considered to distinguish over the reference.

5. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over EP '187, JP '758 or Ito et al. as applied to claims 1, 11, and 12 above, and further in view of Iwata et al (U.S. Patent 6,168,888).

Page 5

None of the applied references teaches that the lithium manganese oxide is a cubic material possessing the properties recited in instant claim 5.

Iwata et al. is directed to a cubic spinel-type lithium manganese oxide containing heteroelements (see abstract). In column 2, line 48, the reference teaches that the lattice constant is between 8.19 and 8.24 angstroms. In column 2, line 63, the reference teaches that the average particle diameter is 1-50 microns and the BET surface area is 0.1-5 m²/g.

Therefore, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be motivated to use the lithium manganese oxide of Iwata et al. in the batteries of EP '187, JP '758 or Ito et al. In column 1, line 51, Iwata et al. teach the following:

It is an object of the present invention to provide a high-performance spinel-type lithium-manganese oxide for use as a material for positive electrodes of a Li secondary battery with inhibited Mn dissolution in an organic electrolyte, as well as a high-performance lithium secondary battery using said lithium-manganese oxide as a positive electrode.

As such, the artisan would be motivated to use the lithium manganese oxide of Iwata et al. in the batteries of EP '187, JP '758 or Ito et al. thereby rendering the subject matter of claim 5 obvious.

6. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over EP '187, JP '758 or Ito et al. as applied to claims 1, 11, and 12 above, and further in view of Wang et al (U.S. Patent 5,532,084).

Application/Control Number: 09/936,611

Art Unit: 1746

None of the applied references expressly teaches that the lithium manganese oxide is a rhombic system material possessing the properties recited in instant claim 6.

Wang et al. is directed to a manganese dioxide product (see abstract). In column 4, line 32, the reference teaches that the manganese dioxide is orthorhombic with lattice constants of 4.5, 9.28, and 2.87 angstroms.

Therefore, the invention as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made because the artisan would be motivated to use the manganese dioxide of Wang et al. in the batteries of EP '187, JP '758 or Ito et al. In column 2, line 23, Wang et al. teach the following:

new name) in the figures and description herein. The P-CMD product of the invention when used as cathode active material in electrochemical cells, particularly alkaline and lithium cells, provides these cells with higher capacity and energy density per gram than are obtainable from the same cells employing conventional chemical manganese dioxide (CMD) or electrolytic manganese dioxide (EMD). Additionally, the discharge voltage profiles of cells, particularly lithium cells, containing the P-CMD as cathode active material, are higher than in conventional cells employing EMD or CMD cathode material. This is very attractive in that the use of P-CMD as cathode material can result in a higher power cell. The P-CMD product is characterized by

Accordingly, the artisan would be motivated to use the manganese oxide of Wang et al. in the batteries of EP '187, JP '758 or Ito et al., thereby rendering the claimed lattice constants obvious. Furthermore, the artisan would be sufficiently skilled to manipulate the average diameter and surface area of the manganese dioxide so as to fall within the claimed ranges. These parameters are known to affect the resulting electrochemical properties of an active material. It has been held that the discovery of an optimum value of a result effective variable in a known process is ordinarily within the skill of the art. *In re Boesch*, 205 USPO 215 (CCPA 1980).

Application/Control Number: 09/936,611 Page 7

Art Unit: 1746

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Yamada et al. (5,972,536), discloses the use of KOH and NaOH in the manufacture of Na-and K-containing carbonaceous negative electrode materials (see Examples E1 and E3).

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Crepeau whose telephone number is (571) 272-1299. The examiner can normally be reached Monday-Friday from 9:30 AM - 6:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr, can be reached at (571) 272-1414. The phone number for the organization where this application or proceeding is assigned is (571) 272-1700. Documents may be faxed to the central fax server at (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jonathan Crepeau Primary Examiner Art Unit 1746 September 16, 2005